The Examiner is correct to have presumed that the Applicant's residence, as submitted with the oath or declaration, is the Applicant's post office address.

## In the Drawings:

Please cancel original Figure 1, from the German Utility Application. Please make FIG. 2 from the German Utility Application FIG. 2 in the instant application. Also, please re-number the remainder of the original drawings, FIGS. 2-18 to reflect these changes.

## Therefore:

Original FIG. 2 will be new FIG. 3.

Original FIG. 3 will be new FIG. 4.

Original FIG. 4 will be new FIG. 5.

Original FIG. 5 will be new FIG. 6.

Original FIG. 6 will be new FIG. 7.

Original FIG. 7 will be new FIG. 8.

Original FIG. 8 will be new FIG. 9.

Original FIG. 9 will be new FIG. 10, and so on.

## In the Title:

Please cancel the title and replace with the following title:

APPARATUS FOR GUIDING SUTURES THROUGH A MEMBRANE WALL

NEAR THE EDGE REGION OF AN OPENING PROVIDED THEREON


In the Abstract:

Please cancel the abstract and replace the abstract with the following






Fig. 2





Khing.




Fig. 2<sup>3</sup>









Khing Khing







Alinos Kings



Fig. 78




Fig. 8'9







Fig. 9 10




Allaha Kelalah







Y ling.





WO 01/17434





Killing Con






Fig. 15 16





Fig. 16 17




Section E - E

8/9

HOROLD XIV



WO 01/17434



KRINGS -